



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

ARBOR Inground Luminaire - Compact / Mini





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-AR-KPG-IL**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Arbor is an in-ground lighting fixture powered by LEDs and made from die-cast aluminum. It is available in six sizes with a Sanded Black finish option. The voltage range is 110-277V

FIXTURE TYPE:

Inground Luminaires - Compact / Mini

LIGHTING:

LED LED

VOLTAGE:

110-277V

MATERIAL:

12# Die-casting powder coated aluminum

CRI:

80

IP RATING:

IP 68 IP68

IK RATING:

IK 08 / 09/10

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BB-AR-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-AR-KPG-IL-XB2CFR0157-
K30-B27-15-DIM-

1 MODELS:

CODE -XB2CFR0157

DIMENSIONS:

Diameter - Ø: 3.74" (9.5 cm)
Height - H: 5.14" (13 cm)

LIGHT SOURCE:

LED / 1 x 2W / 43 mA / 112 lm / IK 08 / 110-277V

CODE -XB2DFR0124

DIMENSIONS:

Diameter - Ø: 4.57" (11.6 cm)
Height - H: 4.84" (12.3 cm)

LIGHT SOURCE:

LED / 1 x 4W / 37 mA / 323 lm / IK 09 / 110-277V

CODE -XB2EFR0128

DIMENSIONS:

Diameter - Ø: 6.81" (17.3 cm)
Height - H: 6.02" (15.3 cm)

LIGHT SOURCE:

LED / 1 x 10W / 98 mA / 911 lm / IK 09 / 110-277V


CODE -XB2FFR0169

DIMENSIONS:

Diameter - Ø: 8.27" (21 cm)
Height - H: 7.05" (17.9 cm)

LIGHT SOURCE:

LED / 1 x 14W / 131 mA / 1298 lm / IK 09 / 110-277V



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-AR-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-AR-KPG-IL-XB2CFR0157-K30-B27-15-DIM-

1 MODELS:

CODE -XB2GFR0170

DIMENSIONS:

Diameter - Ø: 9.84" (25cm)
Height - H: 7.48" (19 cm)

LIGHT SOURCE:

LED / 1 x 20W / 178 mA / 1900 lm / IK 10/110-277V

CODE -XB2KFR0174

DIMENSIONS:

Diameter - Ø: 11.81" (30 cm)
Height - H: 8.31" (21.1 cm)

LIGHT SOURCE:

LED / 1 x 30W / 148 mA / 3100 lm / IK 10/110-277V

2 CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

3 BEAM ANGLE:

available only for -Ø: 3.74" size	available only for -Ø: 3.74" size	available only for -Ø: 4.57" size
-B27-15 15°	-B45-10x60 10°x60°	-B54-15 15°
-B27-25 25°	-B45-10 10°	-B54-24 24°
-B27-30 30°	-B45-20 20°	-B54-38 38°
	-B45-50 50°	-B54-45 45°
available only for -Ø: 6.81" size	available only for -Ø: 8.27", Ø: 9.84" size	available only for -Ø: 11.81" size
-B55-15 15°	-B56-15 15°	-B121 28°
-B55-24 24°	-B56-24 24°	-B121 45°
-B55-38 38°	-B56-38 38°	-B121 60°
-B55-45 45°	-B56-45 45°	
-B55-60 60°	-B56-60 60°	

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA




FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED
110-277V
IP68
DALI



HOW TO ORDER:

CODE:

Example:
CODE: BB-AR-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX


BB-AR-KPG-IL-XB2CFR0157-K30-B27-15-DIM-

4 DIMMING OPTIONS:

- DIM 1-10V
- PWM Pulse Width Modulation
- DALI DALI (Digital Addressable Lighting Interface)

5 WATER PROOF SOLUTION: (optional)

- B
 - A Water-Stopper (Included)**
IP-67 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
 - B IP67 Jiffy quick plug/socket connector (Optional)**
IP-67 connector is as an Optional assembly and ensures that water vapor will not enter into luminaires directly.



6 ACCESSORIES:

HONEYCOMB LOUVER
(INCLUDED)



- Mh040 -Ø: 3.74"
- Mh053 -Ø: 4.57"
- Mh022 -Ø: 6.81"
- Mh048 -Ø: 8.27"
- Mh047 -Ø: 9.84"
- Mh118 -Ø: 11.81"

SLEEVE (OPTION 1)



- B0B -Ø: 3.74"
- B09 -Ø: 4.57"
- 066# -Ø: 6.81"
- 067# -Ø: 8.27"
- 068# -Ø: 9.84"
- 106# -Ø: 11.81"

SLEEVE (OPTION 2)



- 181# -Ø: 3.74"
- 083# -Ø: 4.57"

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-AR-KPG-IL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

CODE:

Example:
CODE: BB-AR-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-AR-KPG-IL-XB2CFR0157-
K30-B27-15-DIM-

7 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA