




**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**FRATTO PLUS**  
BB-FRTP-BL





**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-FRTP-BL**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



LED

IP66



LUTRON

CASAMBI

**GENERAL INFORMATION:**

The FRATTO PLUS by Bullard Bollards is a custom-grade architectural bollard with a modern, sculptural design. Made from stainless steel or aluminum, it features three vertical light panels that provide a bold, 270° lighting effect. Available in three heights (20.8", 31.5", 39.4"), it uses high-CRI LED modules (up to 1800 lm / CRI 90) and operates on 110–277V. IP66-rated for durability, it's perfect for pathways, plazas, and contemporary landscapes.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Stainless Steel or Aluminum

**IP RATING:**

IP 66

IP66

**DRIVER POSITION:**

Remote

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -22°F~122°F

**LIGHT DISTRIBUTION:**

270°

**LENS:**

PMMA

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr



Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

<b>Example:</b> CODE: BB-FRTP-BL-H1-SS-35K-WH-DIM	BB-FRTP-BL-H1-SS-35K-WH-DIM
--	-----------------------------

<b>1</b> BODY HEIGHT:	<input type="text"/>
-----------------------	----------------------

- H1 H: 20.8" (53 cm)
- H2 H: 31.5" (80 cm)
- H3 H: 39.4" (100 cm)

<b>2</b> BODY LENGTH & WIDTH:	
-------------------------------	--

L/W: 4.92" (12.5 cm)

<b>3</b> BODY MATERIAL:	<input type="text"/>
-------------------------	----------------------

- SS Stainless Steel
- AL Aluminum

<b>4</b> LIGHT SOURCE:	<input type="text"/>
------------------------	----------------------

- LSB9 LED / 9 W / 1080 lm / CRI 90
- LSB12 LED / 12 W / 1440 lm / CRI 90
- LSB15 LED / 15 W / 1800 lm / CRI 90

<b>6</b> CCT:	<input type="text"/>
---------------	----------------------

- K27 2700K
- K30 3000K
- K35 3500K
- K40 4000K

<b>7</b> FINISH OPTIONS:	<input type="text"/>
--------------------------	----------------------

- WH White (RAL 9010) ●
- GR Green (RAL 6010) ●
- CO Corten (RAL 8023) ●
- LGR Light Grey (RAL 7047) ●
- DGR Dark Grey (RAL 7021) ●
- BL Black (RAL 9005) ●
- CUS Custom on request\* ●

<b>8</b> DIMMING OPTIONS:	<input type="text"/>
---------------------------	----------------------

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA