



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard


**FARO**  
**STANDARD GRADE**





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The FARO is a modern urban lighting fixture built from extruded and die-cast aluminum for strength and oxidation resistance. With multiple LED options from 6W to 41W, it delivers outputs up to 6126 lm at 3000K or 4000K. Featuring IP65 protection, tempered glass lens, varied beam angles, finishes, and dimming controls, it ensures durability and versatile performance.

**FIXTURE TYPE:**

Urban Lights

**VOLTAGE:**

110-277V



**MATERIAL:**

Extruded aluminum EN AW-6060 T5 high resistance to oxidation,  
Die-cast aluminum EN AB 44100 highly resistant to oxidation

**OPTICAL:**

14° / 16° / 22° / 26° / 29° / 32° / 35° / 72°

**IP RATING:**

IP 65



**DRIVER POSITION:**

Integral

**LENS:**

Tempered glass 4 mm

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -22°F~122°F

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED   
  IP65   
    
  STANDARD   
    

LUTRON   
  CASAMBI

**HOW TO ORDER: \_\_\_\_\_ CODE: \_\_\_\_\_**

**Example:**  
 CODE: BB-GH11-GH-90-K30-B26-AC969-BM-DIM

BB-GH11-GH-90-K30-B26-AC969-BM-DIM

**1 MODELS:**

**-90**

**DIMENSIONS:**

- A) Height - H: 5.63" (14.3 cm)
- B) Length - L: 3.54" (9 cm)
- C) Width - W: 3.54" (9 cm)

**2 LIGHT SOURCE:**

LED / 1 x 6.5 W / 110-277V

**3 CCT & LUMENS:**

- K30** 3000K / 964 lm
- K40** 4000K / 1043 lm

**4 BEAM ANGLE:**

- B26** 26°
- B32** 32°

**5 POLES:**

<p><b>-AC969</b></p> <p>Cylindrical poles with base Ø: 2.36" (6 cm) 13.12 ft (4 m)</p>	<p><b>-AC978</b></p> <p>Cylindrical poles with base Ø: 2.36" (6 cm) 8.20 ft (2.5m)</p>	<p><b>-AC979</b></p> <p>Cylindrical poles to be buried Ø: 2.36" (6 cm) 13.12 ft (4 m)</p>
--	--	---

sales@gordonbullard.com  
 www.bullardbollards.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA



**CODE:**  
**BB-GH11-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:  
\_\_\_\_\_

**HOW TO ORDER:** \_\_\_\_\_ **CODE:** \_\_\_\_\_

**Example:**  
**CODE: BB-GH11-GH-90-K30-B26-AC969-BM-DIM**

BB-GH11-GH-90-K30-B26-AC969-BM-DIM

**1 MODELS:**

**-125**

**DIMENSIONS:**

- A) Height - H: 5.63" (14.3 cm)
- B) Length - L: 3.54" (9 cm)
- C) Width - W: 3.54" (9 cm)

**2 LIGHT SOURCE:**

- L14** LED / 1 x 14.7 W / 110-277V
- L27** LED / 1 x 27.4 W / 110-277V

**3 CCT & LUMENS:**


- Kelvins | Lumens (14.7 W) | Lumens (27.4W)
- K30** 3000K | 2181 lm | 3740 lm
  - K40** 4000K | 2345 lm | 4022 lm

**4 BEAM ANGLE:**



- B14** 14°
- B22** 22°
- B35** 35°

**5 POLES:**

- AC969** Cylindrical poles with base Ø: 2.36" (6 cm) 13.12 ft (4 m)
- AC978** Cylindrical poles with base Ø: 2.36" (6 cm) 8.20 ft (2.5m)



- AC979** Cylindrical poles to be buried Ø: 2.36" (6 cm) 13.12 ft (4 m)
- AC900** Tapered piles to be buried Ø: 2.36" (6 cm) 13.12 ft (4 m)



LED IP65 110-277V STANDARD 110-277V LUTRON CASAMBI

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA





**CODE:  
BB-GH11-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:  
\_\_\_\_\_



**HOW TO ORDER: CODE:**

**Example:**  
CODE: BB-GH11-GH-90-K30-B26-AC969-BM-DIM

BB-GH11-GH-90-K30-B26-AC969-BM-DIM

**1 MODELS:**

-200

**DIMENSIONS:**

A) Height - H: 5.63" (14.3 cm)  
B) Length - L: 3.54" (9 cm)  
C) Width - W: 3.54" (9 cm)

**2 LIGHT SOURCE:**

-L23 LED / 1 x 23 W / 110-277V  
-L30 LED / 1 x 30.1 W / 110-277V  
-L41 LED / 1 x 41.2 W / 110-277V

**3 CCT & LUMENS:**

Kelvins | Lm (23W) | Lm (30.1W) | Lm (41.2W)  
-K30 3000K | 3501 lm | 4239 lm | 5393 lm  
-K40 4000K | 3698 lm | 4689 lm | 6126 lm

**4 BEAM ANGLE:**

-B16 16°  
-B29 29°  
-B72 72°

**5 POLES:**

-AC969 Cylindrical poles with base Ø: 2.36" (6 cm) 13.12 ft (4 m)  
-AC979 Cylindrical poles to be buried Ø: 2.36" (6 cm) 13.12 ft (4 m)



-AC900 Tapered piles to be buried Ø: 2.36" (6 cm) 13.12 ft (4 m)  
-AC903 Tapered piles to be buried Ø: 2.36" (6 cm) 16.40 ft (4 m)



sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



**CODE:  
BB-GH11-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

**Example:**  
**CODE: BB-GH11-GH-90-K30-B26-AC969-BM-DIM**


BB-GH11-GH-90-  
 K30-B26-AC969-BM-  
 DIM

**6 FINISH OPTIONS:**

- AG Anthracite grey (matt) ●
- LG Light grey (matt) ●
- WM White matt ●
- BM Black matt ●
- CM Corten matt ●
- BR Bronze ●
- AGM Antique grey (matt) ●
- BM Blue matt ●
- SM Sand matt ●
- GM Green matt ●

**7 DIMMING OPTIONS:**

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali



sales@gordonbullard.com  
 www.bullardbollards.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:

**HOW TO ORDER:**

**CODE:**

**Example:**  
**CODE: BB-GH11-GH-90-K30-B26-AC969-BM-DIM**

BB-GH11-GH-90-  
 K30-B26-AC969-BM-  
 DIM

**8 ACCESSORIES for 90 model:**


**-AC204**

IP 68 fast connector 4P




**-AC319**

Louvre screen anti glare Microfaro




**-AC417**

Microfaro wrap around pole bracket Ø 60mm



**-AC418**


Microfaro wrap around pole bracket Ø 60mm - Double



**8 ACCESSORIES for 125 model:**


**-AC186**

head support




**-AC187**

column double support  
 MicroFaro/Faro/MaxiFaro




**-AC400**

Faro wrap around pole bracket Ø 60mm



**-AC401**

Faro wrap around pole bracket Ø 60mm - Double



**-AC204**

IP 68 fast connector 4P



**-AC319**

Louvre screen anti glare Microfaro



sales@gordonbullard.com  
 www.bullardbollards.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:


**HOW TO ORDER:** \_\_\_\_\_ **CODE:** \_\_\_\_\_

**Example:**  
**CODE: BB-GH11-GH-90-K30-B26-AC969-BM-DIM**


BB-GH11-GH-90-  
 K30-B26-AC969-BM-  
 DIM

**8 ACCESSORIES for 200 model:**


**-AC180**  
 head support




**-AC181**  
 column double support  
 MicroFaro/Faro/MaxiFaro



**-AC182**  
 Faro wrap around pole  
 bracket Ø 60mm




**-AC184**  
 Faro wrap around pole  
 bracket Ø 60mm - Double




**-AC185**  
 IP 68 fast connector 4P




**-AC186**  
 head support




**-AC187**  
 column double support  
 MicroFaro/Faro/MaxiFaro



**-AC404**  
 Faro wrap around pole  
 bracket Ø 60mm



**-AC405**  
 Faro wrap around pole  
 bracket Ø 60mm - Double



**-AC204**  
 IP 68 fast connector 4P



sales@gordonbullard.com  
 www.bullardbollards.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA