

**ARGUS**  
**Surface Mounting Wall Luminaires - Spotlight**



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The Argus Surface Mounting Wall Luminaire - Spotlight is a durable and versatile outdoor lighting fixture designed for architectural and landscape illumination. Constructed from 12# die-cast aluminum with a tempered glass lens (T=4mm), it ensures superior heat dissipation, corrosion resistance, and long-lasting performance. With an IP65 and IK06 rating, the Argus is built to withstand harsh environmental conditions while maintaining consistent light output. Operating on a 110–277V LED system with a CRI of 80, it delivers clear and efficient lighting ideal for façades, pathways, and feature accents. Available in multiple finishes — Sanded Bronze, Sanded Dark Gray, Sanded Black, and Sanded White

**FIXTURE TYPE:**

Surface Mounting Wall Luminaires - Spotlight

**LIGHTING**

LED



**VOLTAGE:**

110-277V



**MATERIAL:**

12# Die-casting aluminum finishing

**LENS:**

Tempered Glass.T=4mm

**CRI:**

80

**IP RATING:**

IP 65



**IK RATING:**

IK 06

**FINISHING:**

- Sanded Bronze
- Sanded Dark Gray
- Sanded Black
- Sanded White

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**


**CODE:**

Example:  
CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-  
B33-9-K30-DIM-KAP7008-RD003-  
CA3009-MR024

**1 MODELS:**

**-B7TMD0158**



**CODE -B7TMD0158**


DIMENSIONS:

Diameter - Ø: 1.65" (4.2 cm)  
Height - H: 3.77" (9.6 cm)  
Depth - P: 4.9" (12.45 cm)

LIGHT SOURCE:

LED / 1 x 3W / 45 mA / 274 lm / 110-277V

**-B7TND0126**



**CODE -B7TND0126**


DIMENSIONS:

Diameter - Ø: 2.16" (5.5 cm)  
Height - H: 4.72" (12 cm)  
Depth - P: 5.47" (13.9 cm)

LIGHT SOURCE:

LED / 1 x 6W / 56 mA / 667 lm / 110-277V

**-B7TOD0128**



**CODE -B7TOD0128**


DIMENSIONS:

Diameter - Ø: 2.48" (6.3 cm)  
Height - H: 5.47" (13.9 cm)  
Depth - P: 5.82" (14.8 cm)

LIGHT SOURCE:

LED / 1 x 10W / 107 mA / 1315 lm / 110-277V

**-B7TPD0171**



**CODE -B7TPD0171**

DIMENSIONS:

Diameter - Ø: 3.54" (9 cm)  
Height - H: 6.45" (16.4 cm)  
Depth - P: 7.7" (19.6 cm)

LIGHT SOURCE:

LED / 1 x 20W / 180 mA / 2071 lm / 110-277V

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-  
B33-9-K30-DIM-KAP7008-RD003-  
CA3009-MR024

**2 BEAM ANGLE:**

<i>available only for -B7TMD0158 model</i>	<i>available only for -B7TND0126 model</i>
-B33-9     9°	-B51-20    20°
-B33-15   15°	-B51-28    28°
-B33-20   20°	-B51-36    36°
-B33-45   45°	-B51-60    60°
-B33-60   60°	
-B73-30   30°	

<i>available only for -B7TOD0128 model</i>	<i>available only for -B7TPD0171 model</i>
-B52-20   20°	-B66-15    15°
-B52-24   24°	-B66-20    20°
-B52-36   36°	-B66-25    25°
-B52-60   60°	-B66-38    38°
	-B66-55    55°

**3 CCT OPTIONS:**

-K30     3000K	<input type="text"/>
-CUS     Custom on request*	

**4 DIMMING OPTIONS:**

-DIM     1-10V	<input type="text"/>
-PWM     Pulse Width Modulation	
-DALI     DALI (Digital Addressable Lighting Interface)	

**5 FINISH OPTIONS:**

-KAP7008   Sanded Bronze	<input type="text"/>
-KAP7037   Sanded Dark Gray	
-RAL 9005   Sanded Black	
-RAL9003   Sanded White	

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**


**CODE:**

Example:  
 CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-  
 B33-9-K30-DIM-KAP7008-RD003-  
 CA3009-MH024


**6 ACCESSORIES:**

TREE POLE STRAP

- RD003      -B7TMD0158
- B7TND0126 
- B7TOD0128

- RD002      -B7TPD0171 


BEVEL CUT HOOD 

- CA3009      -R7DJM0169T
- CA3010      -R7CJM0171T 
- CA3011      -R7BJM0176T
- CA3013      -B7TPD0171

HONEYCOMB LOUVER 

- Mh024      -B7TMD0158
- Mh025      -B7TND0126
- Mh026      -B7TOD0128
- Mh027      -B7TPD0171

**7 DIAGRAM OF INSTRUCTION:**



sales@gordonbullard.com  
 www.bullardoutdoor.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:




**HOW TO ORDER:**

Example:  
 CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

**CODE:**

BO-AGS-KPG-SMW-B7TMD0158-  
 B33-9-K30-DIM-KAP7008-RD003-  
 CA3009-Mh024

**8 PHOTOMETRIC INFO:**



sales@gordonbullard.com  
 www.bullardoutdoor.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA